AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

Listing of Claims:

- 1. (Original): Process for the purification of riboflavin comprising the steps of
 - (a) precipitating a first crystalline form of riboflavin,
 - (b) isolating the first crystalline form of riboflavin,
- (c) transforming the first crystalline form of riboflavin into a second crystalline form of riboflavin under conditions that decompose diluted DNA, and
- (d) isolating the second crystalline form of riboflavin, provided that at ambient temperature the first crystalline form of riboflavin is thermodynamically less stable than the second crystalline form of riboflavin.
- 2. (Original): Process according to claim 1, characterized in that after step(b) the process comprises the step of pasteurizing the first crystalline form of riboflavin.
- 3. (Currently amended): Process according to <u>claim 1</u> any of the preceding claims, characterized in that the first crystalline form of riboflavin is a riboflavin hydrate.
- 4. (Original): Process according to claim 3, characterized in that the riboflavin hydrate is riboflavin dihydrate.
- 5. (Currently amended): Process according to <u>claim 1</u> any of the <u>preceding claims</u>, characterized in that the second crystalline form of riboflavin is riboflavin anhydrate I.

- 6. (Currently amended): Process according to <u>claim 1</u> any of the preceding claims, characterized in that in step (c) the conditions that decompose diluted DNA are acidic or basic conditions.
- 7. (Original): Process according to claim 6, characterized in that the acidic conditions are caused by an acid having a concentration of between 10⁻⁴ and 10⁻¹ mol 1⁻¹
- 8. (Currently amended): Process according to <u>claim 1</u> any of the preceding claims, characterized in that in step (a) the precipitation of the first crystalline form of riboflavin is induced by means of seed crystals.
- 9. (Original): Process according to claim 8, characterized in that the seed crystals comprise seed crystals of a riboflavin hydrate.
- 10. (Original): Process according to claim 9, characterized in that the seed crystals of the riboflavin hydrate are seed crystals of riboflavin dihydrate or seed crystals of riboflavin monohydrate.
- 11. (Currently amended): Process according to claim 1 any of the preceding claims, characterized in that step (c) is performed at a temperature of between 60°C and 75°C using
 - (i) a mineral acid,
 - (ii) a base, or
 - iii) an organic acid.

- 12. (Currently amended): Process according to <u>claim 1</u> any of the preceding claims, characterized in that in step (c) a slurry containing the first crystalline form of riboflavin is pumped continuously <u>through</u> trough a heat exchanger and further pumped <u>through</u> trough a tube equipped with a jacket heating and either a multistage stirring system or static mixers.
- 13. (New): A process according to claim 2, wherein the first crystalline form of riboflavin is a riboflavin hydrate.
- 14. (New): Process according to claim 3, characterized in that the second crystalline form of riboflavin is riboflavin anhydrate I.
- 15. (New): Process according to claim 4, characterized in that the second crystalline form of riboflavin is riboflavin anhydrate I.
- 16. (New): Process according to claim 13, characterized in that the second crystalline form of riboflavin is riboflavin anhydrate I.
- 17. (New): Process according to claim 2, characterized in that in step (c) the conditions that decompose diluted DNA are acidic or basic conditions.
- 18. (New): Process according to claim 3, characterized in that in step (c) the conditions that decompose diluted DNA are acidic or basic conditions.
- 19. (New): Process according to claim 4, characterized in that in step (c) the conditions that decompose diluted DNA are acidic or basic conditions.

20. (New): Process according to claim 13, characterized in that in step (c) the conditions that decompose diluted DNA are acidic or basic conditions.